

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** POLISH LIQUIDO  
**Other means of identification:**  
**UFI:** R8PD-X63D-K701-HYF9
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Relevant uses: Liquid lubricant collector for wet sweeping. For professional users only.  
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**  
THOMIL S.A  
Ctra. de Andalucía Km.18 – Pol.Ind."Las Arenas"  
28320 Pinto - Madrid - España  
Phone: +34 916 910 263 - Fax: +34 916 911 345  
profesional@thomil.com  
www.thomil.com
- 1.4 Emergency telephone number:** Company: +34 91 691 06 36 (Office hours)

## SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture:**  
**CLP Regulation (EC) No 1272/2008:**  
Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.  
Asp. Tox. 1: Aspiration hazard, Category 1, H304
- 2.2 Label elements:**  
**CLP Regulation (EC) No 1272/2008:**  
**Danger**  
  
**Hazard statements:**  
Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.  
**Precautionary statements:**  
P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P331: Do NOT induce vomiting.  
P405: Store locked up.  
P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.  
**Supplementary information:**  
EUH066: Repeated exposure may cause skin dryness or cracking.  
**Substances that contribute to the classification**  
Tetradecane; Decane; White mineral oil, <=7 mm2/s (40°C)  
**UFI:** R8PD-X63D-K701-HYF9
- 2.3 Other hazards:**  
Product does not meet PBT/vPvB criteria  
Endocrine-disrupting properties: The product does not meet the criteria.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

- 3.1 Substance:**  
Non-applicable
- 3.2 Mixture:**  
**Chemical description:** Mixture composed of additives in solvents  
**Components:**

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| Identification                                                                           | Chemical name/Classification                                                |                                                                                                                                            | Concentration        |
|------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| CAS: 629-59-4<br>EC: 211-096-0<br>Index: Non-applicable<br>REACH: 01-2119485515-31-XXXX  | <b>Tetradecane<sup>(1)</sup></b> Self-classified                            |                                                                                                                                            | <b>50 - &lt;75 %</b> |
|                                                                                          | Regulation 1272/2008                                                        | Asp. Tox. 1: H304; EUH066 - Danger                      |                      |
| CAS: 124-18-5<br>EC: 204-686-4<br>Index: Non-applicable<br>REACH: 01-2119474199-26-XXXX  | <b>Decane<sup>(1)</sup></b> Self-classified                                 |                                                                                                                                            | <b>10 - &lt;25 %</b> |
|                                                                                          | Regulation 1272/2008                                                        | Asp. Tox. 1: H304; Flam. Liq. 3: H226; EUH066 - Danger  |                      |
| CAS: 8042-47-5<br>EC: 232-455-8<br>Index: Non-applicable<br>REACH: 01-2119487078-27-XXXX | <b>White mineral oil, &lt;=7 mm2/s (40°C)<sup>(1)</sup></b> Self-classified |                                                                                                                                            | <b>10 - &lt;25 %</b> |
|                                                                                          | Regulation 1272/2008                                                        | Asp. Tox. 1: H304 - Danger                              |                      |
| CAS: 101-84-8<br>EC: 202-981-2<br>Index: Non-applicable<br>REACH: 01-2119472545-33-XXXX  | <b>Diphenyl ether<sup>(2)</sup></b> Self-classified                         |                                                                                                                                            | <b>&lt;0,1 %</b>     |
|                                                                                          | Regulation 1272/2008                                                        | Aquatic Chronic 2: H411; Eye Irrit. 2: H319 - Warning   |                      |

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

<sup>(2)</sup> Substance with a Union workplace exposure limit

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

##### By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

##### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

##### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

##### By ingestion/aspiration:

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

Suitable extinguishing media:

## SECTION 5: FIREFIGHTING MEASURES (continued)

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

### Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

### 6.2 Environmental precautions:

It is recommended to avoid environmental spillage of both the product and its container.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

#### A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

#### B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

#### C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

#### D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

## SECTION 7: HANDLING AND STORAGE (continued)

### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 5 °C  
Maximum Temp.: 40 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

| Identification                                | Occupational exposure limits |       |                      |
|-----------------------------------------------|------------------------------|-------|----------------------|
| Diphenyl ether<br>CAS: 101-84-8 EC: 202-981-2 | IOELV (8h)                   | 1 ppm | 7 mg/m <sup>3</sup>  |
|                                               | IOELV (STEL)                 | 2 ppm | 14 mg/m <sup>3</sup> |

### DNEL (Workers):

| Identification                                                                      |            | Short exposure |                      | Long exposure            |                     |
|-------------------------------------------------------------------------------------|------------|----------------|----------------------|--------------------------|---------------------|
|                                                                                     |            | Systemic       | Local                | Systemic                 | Local               |
| White mineral oil, ≤ 7 mm <sup>2</sup> /s (40°C)<br>CAS: 8042-47-5<br>EC: 232-455-8 | Oral       | Not relevant   | Not relevant         | Not relevant             | Not relevant        |
|                                                                                     | Dermal     | Not relevant   | Not relevant         | 217,05 mg/kg             | Not relevant        |
|                                                                                     | Inhalation | Not relevant   | Not relevant         | 164,56 mg/m <sup>3</sup> | Not relevant        |
| Diphenyl ether<br>CAS: 101-84-8<br>EC: 202-981-2                                    | Oral       | Not relevant   | Not relevant         | Not relevant             | Not relevant        |
|                                                                                     | Dermal     | Not relevant   | Not relevant         | 25 mg/kg                 | Not relevant        |
|                                                                                     | Inhalation | Not relevant   | 14 mg/m <sup>3</sup> | 59 mg/m <sup>3</sup>     | 7 mg/m <sup>3</sup> |

### DNEL (General population):

| Identification                                                                      |            | Short exposure |              | Long exposure           |              |
|-------------------------------------------------------------------------------------|------------|----------------|--------------|-------------------------|--------------|
|                                                                                     |            | Systemic       | Local        | Systemic                | Local        |
| White mineral oil, ≤ 7 mm <sup>2</sup> /s (40°C)<br>CAS: 8042-47-5<br>EC: 232-455-8 | Oral       | Not relevant   | Not relevant | 25 mg/kg                | Not relevant |
|                                                                                     | Dermal     | Not relevant   | Not relevant | 93,02 mg/kg             | Not relevant |
|                                                                                     | Inhalation | Not relevant   | Not relevant | 34,78 mg/m <sup>3</sup> | Not relevant |

### PNEC:

| Identification                                   |              |              |                         |             |  |
|--------------------------------------------------|--------------|--------------|-------------------------|-------------|--|
| Decane<br>CAS: 124-18-5<br>EC: 204-686-4         | STP          | 0,018 mg/L   | Fresh water             | 0,0012 mg/L |  |
|                                                  | Soil         | 0,13 mg/kg   | Marine water            | 0,0012 mg/L |  |
|                                                  | Intermittent | 0,0045 mg/L  | Sediment (Fresh water)  | 0,33 mg/kg  |  |
|                                                  | Oral         | Not relevant | Sediment (Marine water) | 0,33 mg/kg  |  |
| Diphenyl ether<br>CAS: 101-84-8<br>EC: 202-981-2 | STP          | 10 mg/L      | Fresh water             | 0 mg/L      |  |
|                                                  | Soil         | 0,018 mg/kg  | Marine water            | 0 mg/L      |  |
|                                                  | Intermittent | 0,005 mg/L   | Sediment (Fresh water)  | 0,093 mg/kg |  |
|                                                  | Oral         | Not relevant | Sediment (Marine water) | 0,009 mg/kg |  |

### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

### B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

### C.- Specific protection for the hands

| Pictogram                                                                                                      | PPE                                   | Labelling                                                                         | CEN Standard | Remarks                                                                                                                                                                                                                                    |
|----------------------------------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------------------------------------------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <br>Mandatory hand protection | Protective gloves against minor risks |  |              | Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+A1:2018 |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

### D.- Eye and face protection

| Pictogram                                                                                                      | PPE                                           | Labelling                                                                          | CEN Standard                    | Remarks                                                                                                                   |
|----------------------------------------------------------------------------------------------------------------|-----------------------------------------------|------------------------------------------------------------------------------------|---------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <br>Mandatory face protection | Panoramic glasses against splash/projections. |  | EN 166:2002<br>EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

### E.- Body protection

| Pictogram | PPE                  | Labelling                                                                           | CEN Standard      | Remarks                                                                                                                                                                                                                                                           |
|-----------|----------------------|-------------------------------------------------------------------------------------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Work clothing        |  |                   | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
|           | Anti-slip work shoes |  | EN ISO 20347:2022 | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2022 y EN 13832-1:2007                                 |

### F.- Additional emergency measures

| Emergency measure                                                                                       | Standards                                       | Emergency measure                                                                                        | Standards                                      |
|---------------------------------------------------------------------------------------------------------|-------------------------------------------------|----------------------------------------------------------------------------------------------------------|------------------------------------------------|
| <br>Emergency shower | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | <br>Eyewash stations | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

### Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

### Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

|                           |                                       |
|---------------------------|---------------------------------------|
| V.O.C. (Supply):          | 23,85 % weight                        |
| V.O.C. density at 20 °C:  | 184,39 kg/m <sup>3</sup> (184,39 g/L) |
| Average carbon number:    | 10                                    |
| Average molecular weight: | 142,3 g/mol                           |

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties:

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

For complete information see the product datasheet.

### Appearance:

|                          |                |
|--------------------------|----------------|
| Physical state at 20 °C: | Liquid         |
| Appearance:              | Transparent    |
| Colour:                  | Orange         |
| Odour:                   | Floral         |
| Odour threshold:         | Not relevant * |

### Volatility:

|                                        |                      |
|----------------------------------------|----------------------|
| Boiling point at atmospheric pressure: | 231 °C               |
| Vapour pressure at 20 °C:              | 52 Pa                |
| Vapour pressure at 50 °C:              | 336,83 Pa (0,34 kPa) |
| Evaporation rate at 20 °C:             | Not relevant *       |

### Product description:

|                                              |                             |
|----------------------------------------------|-----------------------------|
| Density at 20 °C:                            | 771 - 775 kg/m <sup>3</sup> |
| Relative density at 20 °C:                   | 0,771 - 0,775               |
| Dynamic viscosity at 20 °C:                  | Not relevant *              |
| Kinematic viscosity at 20 °C:                | 3 mm <sup>2</sup> /s        |
| Kinematic viscosity at 40 °C:                | <20,5 mm <sup>2</sup> /s    |
| Concentration:                               | Not relevant *              |
| pH:                                          | Not relevant *              |
| Vapour density at 20 °C:                     | Not relevant *              |
| Partition coefficient n-octanol/water 20 °C: | Not relevant *              |
| Solubility in water at 20 °C:                | Not relevant *              |
| Solubility properties:                       | Insoluble in water          |
| Decomposition temperature:                   | Not relevant *              |
| Melting point/freezing point:                | Not relevant *              |

### Flammability:

|                            |                        |
|----------------------------|------------------------|
| Flash Point:               | Non Flammable (>60 °C) |
| Flammability (solid, gas): | Not relevant *         |
| Autoignition temperature:  | 200 °C                 |
| Lower flammability limit:  | Not relevant *         |
| Upper flammability limit:  | Not relevant *         |

### Particle characteristics:

|                             |                |
|-----------------------------|----------------|
| Median equivalent diameter: | Non-applicable |
|-----------------------------|----------------|

## 9.2 Other information:

### Information with regard to physical hazard classes:

|                                                              |                |
|--------------------------------------------------------------|----------------|
| Explosive properties:                                        | Not relevant * |
| Oxidising properties:                                        | Not relevant * |
| Corrosive to metals:                                         | Not relevant * |
| Heat of combustion:                                          | Not relevant * |
| Aerosols-total percentage (by mass) of flammable components: | Not relevant * |

### Other safety characteristics:

|                           |                |
|---------------------------|----------------|
| Surface tension at 20 °C: | Not relevant * |
| Refraction index:         | Not relevant * |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight   | Humidity       |
|--------------------|------------------|-------------------------|------------|----------------|
| Not applicable     | Not applicable   | Precaution              | Precaution | Not applicable |

### 10.5 Incompatible materials:

| Acids              | Water          | Oxidising materials | Combustible materials | Others                        |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable        | Avoid alkalis or strong bases |

### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

#### A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

#### D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.  
IARC: White mineral oil, <=7 mm<sup>2</sup>/s (40°C) (3); Eugenol (3); d-limonene (3); Benzyl acetate (3); C.I.Solvent Red 23 (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- CONTINUED ON NEXT PAGE -

## SECTION 11: TOXICOLOGICAL INFORMATION (continued)

### F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

### G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Repeated exposure may cause skin dryness or cracking

### H- Aspiration hazard:

May be fatal if swallowed and enters airways.

### Other information:

Not relevant

### Specific toxicology information on the substances:

| Identification                                                         | Acute toxicity  |             | Genus  |
|------------------------------------------------------------------------|-----------------|-------------|--------|
| White mineral oil, <=7 mm2/s (40°C)<br>CAS: 8042-47-5<br>EC: 232-455-8 | LD50 oral       | >5000 mg/kg | Rat    |
|                                                                        | LD50 dermal     | >2000 mg/kg |        |
|                                                                        | LC50 inhalation | >20 mg/L    |        |
| Tetradecane<br>CAS: 629-59-4<br>EC: 211-096-0                          | LD50 oral       | >5000 mg/kg | Rat    |
|                                                                        | LD50 dermal     | >2000 mg/kg |        |
|                                                                        | LC50 inhalation | >20 mg/L    |        |
| Decane<br>CAS: 124-18-5<br>EC: 204-686-4                               | LD50 oral       | >2000 mg/kg |        |
|                                                                        | LD50 dermal     | >2000 mg/kg |        |
|                                                                        | LC50 inhalation | >20 mg/L    |        |
| Diphenyl ether<br>CAS: 101-84-8<br>EC: 202-981-2                       | LD50 oral       | >5000 mg/kg | Rat    |
|                                                                        | LD50 dermal     | 7940 mg/kg  | Rabbit |
|                                                                        | LC50 inhalation | >5 mg/L     |        |

### Acute Toxicity Estimate (ATE mix):

| ATE mix    |                                     | Ingredient(s) of unknown toxicity |
|------------|-------------------------------------|-----------------------------------|
| Oral       | >2000 mg/kg (Calculation method)    | Non-applicable                    |
| Dermal     | >2000 mg/kg (Calculation method)    | Non-applicable                    |
| Inhalation | >20 mg/L (4 h) (Calculation method) | Non-applicable                    |

## 11.2 Information on other hazards:

### Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

### Other information

Not relevant

## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

### 12.1 Toxicity:

#### Acute toxicity:

| Identification                                   | Concentration |                     | Species | Genus      |
|--------------------------------------------------|---------------|---------------------|---------|------------|
| Diphenyl ether<br>CAS: 101-84-8<br>EC: 202-981-2 | LC50          | >1 - 10 mg/L (96 h) |         | Fish       |
|                                                  | EC50          | >1 - 10 mg/L (48 h) |         | Crustacean |
|                                                  | EC50          | >1 - 10 mg/L (72 h) |         | Algae      |

## 12.2 Persistence and degradability:

### Substance-specific information:

- CONTINUED ON NEXT PAGE -

## SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification                                   | Degradability |              | Biodegradability |              |
|--------------------------------------------------|---------------|--------------|------------------|--------------|
| Tetradecane<br>CAS: 629-59-4<br>EC: 211-096-0    | BOD5          | Not relevant | Concentration    | Not relevant |
|                                                  | COD           | Not relevant | Period           | 28 days      |
|                                                  | BOD5/COD      | Not relevant | % Biodegradable  | 83,1 %       |
| Diphenyl ether<br>CAS: 101-84-8<br>EC: 202-981-2 | BOD5          | Not relevant | Concentration    | 5.6 mg/L     |
|                                                  | COD           | Not relevant | Period           | 20 days      |
|                                                  | BOD5/COD      | Not relevant | % Biodegradable  | 76 %         |

### 12.3 Bioaccumulative potential:

#### Substance-specific information:

| Identification                                   | Bioaccumulation potential |           |
|--------------------------------------------------|---------------------------|-----------|
| Tetradecane<br>CAS: 629-59-4<br>EC: 211-096-0    | BCF                       | 19500     |
|                                                  | Pow Log                   | 8.11      |
|                                                  | Potential                 | Very High |
| Decane<br>CAS: 124-18-5<br>EC: 204-686-4         | BCF                       | 143       |
|                                                  | Pow Log                   | 5.01      |
|                                                  | Potential                 | High      |
| Diphenyl ether<br>CAS: 101-84-8<br>EC: 202-981-2 | BCF                       | 196       |
|                                                  | Pow Log                   | 4.21      |
|                                                  | Potential                 | High      |

### 12.4 Mobility in soil:

| Identification                                   | Absorption/desorption |                         | Volatility |                                |
|--------------------------------------------------|-----------------------|-------------------------|------------|--------------------------------|
| Tetradecane<br>CAS: 629-59-4<br>EC: 211-096-0    | Koc                   | 200000                  | Henry      | 1163211 Pa·m <sup>3</sup> /mol |
|                                                  | Conclusion            | Immobile                | Dry soil   | Not relevant                   |
|                                                  | Surface tension       | 2,615E-2 N/m (25 °C)    | Moist soil | Not relevant                   |
| Decane<br>CAS: 124-18-5<br>EC: 204-686-4         | Koc                   | Not relevant            | Henry      | Not relevant                   |
|                                                  | Conclusion            | Not relevant            | Dry soil   | Not relevant                   |
|                                                  | Surface tension       | 2,341E-2 N/m (25 °C)    | Moist soil | Not relevant                   |
| Diphenyl ether<br>CAS: 101-84-8<br>EC: 202-981-2 | Koc                   | 1960                    | Henry      | Not relevant                   |
|                                                  | Conclusion            | Low                     | Dry soil   | No                             |
|                                                  | Surface tension       | 1,753E-2 N/m (258,4 °C) | Moist soil | No                             |

Insoluble in water

### 12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

### 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

### 12.7 Other adverse effects:

Not described

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods:

| Code | Description                                                                                 | Waste class (Regulation (EU) No 1357/2014) |
|------|---------------------------------------------------------------------------------------------|--------------------------------------------|
|      | It is not possible to assign a specific code, as it depends on the intended use by the user | Hazardous                                  |

#### Type of waste (Regulation (EU) No 1357/2014):

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

## SECTION 13: DISPOSAL CONSIDERATIONS (continued)

### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

## SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Not relevant
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EU) No 2024/590, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

### Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

### Labelling for contents:

| Component              | Concentration interval |
|------------------------|------------------------|
| Aliphatic hydrocarbons | % (w/w) >= 30          |
| perfumes               |                        |

Allergenic fragrances: 2-benzylideneheptanal (AMYL CINNAMAL), Citronellol (CITRONELLOL), d-limonene (LIMONENE), Eugenol (EUGENOL), P-menth-1-en-8-ol (TERPINEOL).

### Seveso III:

Not relevant

### Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

### Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

## SECTION 16: OTHER INFORMATION

### Legislation related to safety data sheets:

## SECTION 16: OTHER INFORMATION (continued)

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

**Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:**

Not relevant

**Texts of the legislative phrases mentioned in section 2:**

H304: May be fatal if swallowed and enters airways.

**Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**CLP Regulation (EC) No 1272/2008:**

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

**Classification procedure:**

Asp. Tox. 1: Calculation method

**Advice related to training:**

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

**Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -